

FEB 05 2007

P11278

Serial No. 09/884,122

**IN THE CLAIMS:****Please amend the claims as follows:**

1-3 (cancelled).

4-9 (cancelled).

10-11 (cancelled).

12 (previously presented). A method for web-enabled 2-way remote messaging, comprising:

establishing a remote messaging session between a web client and an event provider via a remote messaging facility client, connecting to the web client, and a remote messaging facility server, connecting to an event producer, the web client issuing requests and receiving responses during the remote messaging session;

subscribing, by the web client via the remote messaging facility client, an event that is related to an action performed by the event producer on a slot of a message board located in the remote messaging facility server;

listening, by a listener agent in the remote messaging facility server, the event, the listener agent connecting to a channel, dedicated to the web client, and the slot, the listener agent receiving a notification when the action associated with the event is performed by the event producer on the slot; and

dispatching the notification from the remote messaging facility server to the web client via a web server and the remote messaging facility client, said notification being encoded by the web server using a web protocol to generate a response.

P11278

Serial No. 09/884,122

13 (previously presented). The method according to claim 12, wherein said requests includes at least one of:

- a begin session request to start a remote messaging session;
- an end session request to finish a remote messaging session;
- a check session request to examine the status of a remote messaging session;
- a subscribe event request to subscribe an event with the remote messaging facility server;
- an unsubscribe event request to end a subscription of an event with the remote messaging facility server;
- a query data request to inquiry a data item in the message board;
- an listen event request to start a listening connection; and
- a post message request to post a message from the web client to a message handler associated with a slot in the message board.

14 (original). The method according to claim 13, wherein said requests are encoded using a web protocol.

15 (original). The method according to claim 14, wherein said responses are encoded by said web server using a web protocol.

16 (original). The method according to claim 15, wherein

- said web protocol used to encode the requests includes HyperText Transport Protocol; and
- said web protocol used by said web server to encode the responses includes HyperText Transport Protocol.

17 (original). The method according to claim 14, wherein said establishing

P11278

Serial No. 09/884,122

comprises:

sending a begin session request, by the web client via the remote messaging facility client and the web server, to the remote messaging facility server to establish the remote messaging session;

authenticating the web client with respect to the event producer to generate a decision of either positive or negative; and

starting, by a session manager in the remote messaging facility server, the remote messaging session if the decision is positive.

18 (original). The method according to claim 17, wherein said subscribing comprises:

sending a subscribe event request to the session manager to subscribe the event, the subscribe event request specifying the slot and the action;

setting up, by the session manager, a channel to store the occurrences of the event; and connecting the channel with the listener agent associated with the slot of the message board.

19 (previously presented). The method according to claim 17, wherein said listening comprises:

sending an listen event request to the remote messaging facility server;

setting up a listening connection, for the event subscribed in said subscribing, said listening connection associating with the channel dedicated to the web client;

monitoring, by the listener agent connecting to both the channel and the slot, the action performed by the event producer on the slot that triggers the event;

receiving the notification corresponding to the subscribed event when the action is performed by said event producer; and

adding, by the listener agent, the notification to the channel.

P11278

Serial No. 09/884,122

20 (original). The method according to claim 19, further comprising filtering the notification prior to adding the notification to the channel.

21 (original). The method according to claim 19, wherein said dispatching comprises:

forwarding, by a channel manager that manages the channel, the notification to the web server;

encoding, by the web server, the notification using the web protocol to generate the response; and

sending the response to the web client via the remote messaging facility client.

22-23 (cancelled).

24 (original). A method for a remote messaging facility server, comprising:

establishing a remote messaging session based on a begin session request sent from a web client via a remote messaging facility client and a web server;

subscribing an event based on a subscribe event request specifying a slot on a message board in the remote messaging facility server and an action, wherein the event is defined with respect to the action performed on the slot by an event producer;

listening, by an listener agent activated by an listen event request, the event, the listener agent connecting to a channel set up for the remote messaging session and to the slot and generating a notification of the event when the action associated with the event is performed on the slot by the event producer; and

dispatching the notification of the event to the web client as a response

P11278

Serial No. 09/884,122

via the web server and the remote messaging facility client, said notification being encoded by the web server using a web protocol to generate the response.

25 (original). The method according to claim 24, wherein the establishing comprises:

- receiving the begin session request from the web client, authenticating the web client; and

- starting the remote messaging session if the authentication passes.

26 (original). The method according to claim 24, wherein the subscribing comprises:

- receiving the subscribe event request from the web client;

- setting up a channel associating with the remote messaging session;

- and

- connecting the channel with a listener agent associated with the slot of the message board.

27 (previously presented). The method according to claim 24, wherein the listening comprises:

- monitoring the slot on the message board to observe the event related to the action to be performed by the event producer on the slot;

- receiving the notification when the event is observed; and

- adding the notification to the channel set up for the remote messaging session.

28 (original). The method according to claim 27, further comprising:

- filtering, by a filter agent, the notification prior to said adding.

P11278

Serial No. 09/884,122

29 (original). The method according to claim 24, wherein said dispatching comprises:

- forwarding, by the channel, the notification to the web server;
- encoding, by the web server, the notification using the web protocol to generate the response; and
- sending the response to the web client via the remote messaging facility client.

30 (original). The method according to claim 24, further comprising registering the event producer with the message board in the remote messaging facility server.

31 (original). The method according to claim 30, further comprising specifying a session agent that authenticates a web client for the event producer; and specifying a filtering agent that filters an observed event associated with the event producer.

32 (original). The method according to claim 30, further comprising updating, by an event producer, a slot of the message board.

33-38 (cancelled).

39 (original). A computer-readable medium encoded with a program for web-enabled 2-way remote messaging, said program comprising:

- establishing a remote messaging session between a web client and an event provider via a remote messaging facility client, connecting to the web client, and a remote messaging facility server, connecting to the event producer, the web client issuing requests and receiving responses during the remote messaging session;

P11278

Serial No. 09/884,122

subscribing, by the web client via the remote messaging facility client, an event that is related to an action performed by the event producer on a slot of a message board located in the remote messaging facility server;

listening, by a listener agent in the remote messaging facility server, the event, the listener agent connecting to a channel, dedicated to the web client, and the slot, the listener agent receiving a notification when the action associated with the event is performed by the event producer on the slot; and

dispatching the notification from the remote messaging facility server to the web client via a web server and the remote messaging facility client, said notification being encoded by the web server using a web protocol to generate a response.

40 (original). The medium according to claim 39, wherein said establishing comprises:

sending a begin session request, by the web client via the remote messaging facility client and the web server, to the remote messaging facility server to establish the remote messaging session;

authenticating the web client with respect to the event producer to generate a decision of either positive or negative; and

starting, by a session manager in the remote messaging facility server, the remote messaging session if the decision is positive.

41 (original). The medium according to claim 39, wherein said subscribing comprises:

sending a subscribe event request to the session manager to subscribe the event, the subscribe event request specifying the slot and the action;

setting up, by the session manager, a channel to store the occurrences of the event; and

connecting the channel with the listener agent associated with the slot

P11278

Serial No. 09/884,122

of the message board.

42 (previously presented). The medium according to claim 39, wherein said listening comprises:

- sending an listen event request to the remote messaging facility server;
- setting up a listening connection, for the event subscribed in said subscribing, said listening connection associating with the channel dedicated to the web client;

- monitoring, by the listener agent connecting to both the channel and the slot, the action performed by the event producer on the slot that triggers the event; receiving the notification corresponding to the subscribed event when the action is performed by said event producer; and

- adding, by the listener agent, the notification to the channel.

43 (original). The medium according to claim 42, further comprising filtering the notification prior to adding the notification to the channel.

44 (original). The medium according to claim 42, wherein said dispatching comprises:

- forwarding, by a channel manager that manages the channel, the notification to the web server; encoding, by the web server, the notification using the web protocol to generate the response; and

- sending the response to the web client via the remote messaging facility client.

45-60 (cancelled).